

Tudor Roof Tiles

Plain & Peg Clay Tiles

Handmade in England

www.tudorrooftiles.co.uk



Make Your Roof Unique

Tudor Roof Tile Co. Limited

Located on the Romney Marsh in Kent
Using traditional production skills, our double cambered
clay roof tiles offer a link with the past.

They are particularly suitable for use in architecturally and
aesthetically sensitive areas.



Combining the natural properties of clay, sand facing and individualised hand making, gives our tiles their 'antique' variation.

Starting from a slab of clay, each tile is individually sand faced, shaped, trimmed and nail holes inserted, then placed by hand onto specially shaped drying trays.

Each tile then undergoes a lengthy drying process before being fired (baked) to over 1000°C. Quality inspection and packaging complete the process.



Our tiles are tested to comply with:-

BS EN 538 for flexural strength.

BS EN 539-1 for water impermeability.

BS EN 539-2 for frost resistance.

All above are contained in the CE Marking standard EN 1304

From the initial job enquiry through to the dispatch of the final product, we strive to meet an enviable standard of customer service.

All current testing certificates, terms of business and the product durability guarantee are downloadable from our website-
www.tudorrooftiles.co.uk/downloads.html



65% Medium Antique, 25% Red Antique, 10% Dark Antique



60% Medium Antique, 25% Red Antique, 15% Jubilee



80% Medium Antique, 20% Dark Antique



100% Jubilee



Peg Tiles, 50% Sussex Brown, 30% Medium Antique, 10% Red Antique & 10% Sussex Red



75% Red Antique, 25% Jubilee

Our basic range of Fittings and Ornamental Tiles



Key

- 1 Hog's Back Ridge
- 2 Half Round Ridge
- 3 Third Round Ridge
- 4 Baby Ridge
- 5 Mono Ridge
- 8 Sussex Hip
- 9 Bonnet Hip
- 10 Kent Hip
- 11 Universal Valley

- 12 Gable Tile
- 13 External Angle
- 14 Peg Tile
- 15 Peg Eave
- 16 Eave and Top Tiles
- 17 Oast Taper-Narrow
- 18 Internal Angle
- 19 Oast Taper-Wide

Ornamental Tiles

- 20 Club
- 21 D.S. Club
- 22 Bullnose
- 23 Fishtail
- 24 Arrowhead
- 25 Diamond
- 26 Snubnose


Ventilation

- 6 Hog's Back Vented Ridge
- 7 Half Round Vented Ridge
- also (not illustrated)
- Invisible Under-Tile Vent
- Semi-Visible In-Tile Vent

Specialist Tiles

- 27 Bat Access Set
- 28 Creasing Tiles

Or do you need roof tiles in *your* bespoke size?



Standard Peg Tile 10" x 6"

*Talk to us about
your
bespoke
requirements*

Our 'Traditional' range of handmade Plain Tiles (nibbed) exhibit a larger degree of double camber and capture the character and much sought after aesthetic qualities of older reclaimed tiles.

Our 'Traditional' handmade Peg Tiles and Oast Tiles are less cambered, and better complement restoration and preservation projects.

New for 2015 is the inclusion of the 'Romney' range of roof tiles. With their gentle camber and fine textured sand face, Romney roof tiles are perfect for town and city roofs alike.

Technical Specifications

DIMENSIONS	(metric (mm))	(Imperial (inches))
(variable to avoid straight lines on roof)		
Plain Tiles (nibbed)	265 x 165	10.5 x 6.5
Plain Peg Tiles	255 x 160	10 x 6
Ornamentals	265 x 165	10.5 x 6.5
Oast Tapers	255 x 150 reducing to 120mm or 85mm	
(Two Tapers, Wide & Narrow)		

Fittings

Ridges - all types	300 Long	12 Long
External & Internal Angles (90 degree)	265 Long	10.5 Long

Lap (minimum)

Plain Tile & Peg Tile	65	2.5
-----------------------	----	-----

Gauge (maximum)

Plain Tile	100	4
Plain Peg	95	3.75

Roof Pitch

BS5534:2014 Recommended Minimum - 40°

Covering Capacity

Plain Tile	60 Tiles / metre ²
Plain Peg Tile	66 Tiles / metre ²

Laid Weight (Average)

Plain Tile	75kg / metre ²	15.36lbs / feet ²
Plain Peg Tile	75.9kg / metre ²	15.55lbs / feet ²

Transverse Strength

780 newtons

Ventilation Tiles / Systems

	Area
Half Round Vented Ridge (eyebrow)	2580mm ² / 4 inches ²
Hog's Back Vented Ridge (eyebrow)	2580mm ² / 4 inches ²
Invisible Under Tile Vent System	9000mm ² / 14 inches ²
In-Tile Vent System	6000mm ² / 9.3 inches ²

Packaging

Plain Tiles are banded in tens for ease of handling on site and shrink wrapped on non returnable pallets of 1000

Weight

per 1000 Plain Tiles - 1.25 Tonnes average


E & O.E



Medium Antique



Dark Antique



Red Antique




Sussex Brown



Sussex Red



Jubilee



Weathered Earth



*Romney
Russet Brown*



*Romney
Rustic Red*



*Romney
Rural Grey*



Tudor Roof Tile Co. Limited

Dengemarsh Road, Lydd, Kent TN29 9JH

Telephone: 01797 320202 • Facsimile: 01797 320700

www.tudorrooftiles.co.uk • email: info@tudorrooftiles.co.uk